

CLAIMS

What is claimed is:

1. An accessory hanger for conveniently hanging items from flat surfaces, comprising:
a support base having a receiving portion that at least substantially transverses said support base; and
an arm having a first end and a second end, a first angle and a second angle, wherein said first end is inserted into said receiving portion so that it rotatably engages said support base.
2. An accessory hanger for conveniently hanging items from flat surfaces, comprising:
a support base having an internal cylindrically shaped hollow column that at least substantially transverses said support base;
an arm having a first end, a first angle and a second angle, wherein said first end that includes spiral grooves inserted into said hollow column so that it rotatably engages said support base; and
an attachment means that engages and secures said first end to said support base.
3. The accessory hanger of claim 2, wherein said arm has a second end disposed in an upward direction so that said second end will support items hanging therefrom.
4. The accessory hanger of claim 2, wherein said first end is substantially the same length as said support base.

5. The accessory hanger of claim 2, wherein said support base is made of a precious metal.
6. The accessory hanger of claim 2, wherein said support base is made of a non-precious metal.
7. The accessory hanger of claim 2, wherein said support base is decoratively shaped.
8. The accessory hanger of claim 2, wherein said support base is decoratively shaped like a letter.
9. The accessory hanger of claim 2, wherein said support base is decoratively engraved.
10. The accessory hanger of claim 2, wherein said support base is decoratively embossed.
11. The accessory hanger of claim 2, wherein said support base contains embedded items.
12. The accessory hanger of claim 2, wherein the bottom surface of said support base is covered with a protective material.
13. The accessory hanger of claim 2, wherein said support base contains cut away pieces.
14. The accessory hanger of claim 2, wherein the cross-section of said arm is substantially rounded.
15. The accessory hanger of claim 2, wherein the cross-section of said arm is substantially rectangular.

16. The accessory hanger of claim 2, wherein said attachment means comprises said first end having spirally grooves and the walls of said hollow column of said support base having corresponding grooves that rotatably secures said first end of said arm to said support base.
17. The accessory hanger of claim 2, wherein said attachment means comprises a nut with internal grooves that correspond to the grooves in said first end so that said first end of said arm is secured to said support base.
18. The accessory hanger of claim 2, wherein said attachment means comprises said first arm having a nail-like head so that said first end of said arm is secured to said support base.
19. An accessory hanger for conveniently hanging items from flat surfaces, comprising:
 - a support base having an internal cylindrically shaped hollow column that at least substantially transverses said support base;
 - an arm with at least two pieces having a first section and a second section, wherein said first section having a first end and a second end and said second section has a first end and a second end;
 - said first end of said first section further comprises spiral grooves and is inserted into said hollow column so that it rotatably engages said support base and wherein said second end of said first section further comprises part of a coupling means that engages and secures said first section to said second section;

said first end of said second section further comprises another part of said coupling means that engages and secures said second section to said first section; and

an attachment means that engages and secures said first end of said first section to said support base.

20. The accessory hanger of claim 19, wherein said first end of said first section is substantially the same length as said support base.
21. The accessory hanger of claim 19, wherein said second end of said second section of said arm is disposed in an upward direction so that said second section will support items hanging therefrom.
22. The accessory hanger of claim 19, wherein said first section and second section are angular.
23. The accessory hanger of claim 19, wherein said attachment means comprises said first end of said first section having spirally grooves and the walls of said hollow column of said support base having corresponding grooves that rotatably secures said first end of said first section of said arm to said support base.
24. The accessory hanger of claim 19, wherein said attachment means comprises a nut with internal grooves that correspond to the grooves in said first end of said first section so that said first end of said first section is secured to said support base.
25. The accessory hanger of claim 19, wherein said attachment means comprises said first end of said first section having a nail-like head so

that said first end of said first section of said arm is secured to said support base.

26. The accessory hanger of claim 19, wherein said coupling means comprises said second end of said first section having spiral grooves and said first end of said second section having a cylindrical hollow column having corresponding grooves into which the second end of said first section end is screwed.
27. The accessory hanger of claim 19, wherein said coupling means comprises a hinge that allows said arm to be folded so that said hanger is more compact and easily portable.
28. The accessory hanger of claim 19, wherein said coupling means that extends the length of the arm in a telescoping manner so that said accessory hanger can be adjusted to accommodate various thicknesses of the surfaces on which said accessory hanger is position.
29. The accessory hanger of claim 19, wherein said coupling means that extends the length of the arm in a telescoping manner using a spring so that said accessory hanger can be extended to accommodate various thicknesses of the surfaces on which said accessory hanger is position and so that when said accessory hanger reverts back to its original length when removed from a thick surface.
30. The accessory hanger of claim 19, wherein said arm is made is a decorative manner.